

XIEBO



XIEBO[®]

ZHEJIANG XIANBO INDUSTRY & TRADE CO.,LTD

Factory Address: No.20 Huagang Road, Huachuan
new district, Yongkang city, Jinhua, Zhejiang, China.
Tel:0086-0579-87323803
Fax:0086-0579-87323802
E-mail:sale@zjxianbo.com



[Http://www.zjxianbo.com](http://www.zjxianbo.com)

ZHEJIANG XIANBO INDUSTRY & TRADE CO.,LTD

2019/2020

QUALITY CONTROL

INTRODUCTION


As always, our company will hold on the pursue of excellence in quality and sincere service,continue to be the leader in the industry.

ZHEJIANG XIANBO INDUSTRY & TRADE CO.,LTD was founded in 2008.Our company specialized in design, development, production, sales and after-sales service of water, air, electric automatic retractable hose reel.

Our company has scientific quality management system ISO9001:2008 and BSCI. Our products have the third-party certification: GS, CE, ROHS, REACH and so on. Our goal is to continuously provide top quality products at the most competitive price, with truly professional service, to all our clients.

Our company adhere to "quality first, integrity-based" business philosophy. Products are sold to domestic cities, the United States, Australia and European country etc.

Welcome friends from home and abroad to negotiate business and order products.



Electronic Tensile Testing Machine
Closeness of the connection testing between connectors and hose.



Anti-uv Tester
Plastic parts test, how long its color will be changed.



Salt Spray Tester
Iron parts test, How long they will be rusted.



Spring Fatigue Tester
Coil spring life test.



Bursting Tester
Burst pressure test of hose and complete machine.



Life Tester
Complete machine life test.



CONTENTS

Create a Perfect Courtyard

WATER HOSE REEL

XBW-G



XBW-G01 XBW-G02 XBW-G03 XBW-G04

01-02

XBW-B



XBW-B01 XBW-B03 XBW-B02 XBW-B04

05-06

XBW-D



XBW-D01 XBW-D02 XBW-D03 XBW-D04

07-08

XBW-A



XBW-A01 XBW-A02 XBW-A03 XBW-A04

09-10

XBW-E




XBW-E05 XBW-E01/02 XBW-E03 XBW-E04

11-12



XIEBO[®]
WATER HOSE REEL

Mod.XBW-G01



Adjustable stop ball



Brush design to prevent dirt




SPECIFICATION

Hose Length(outlet)+(inlet)	10m+1m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	8x12mm(5/16")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	32x16.5x28cm
Carton Size	68x33.5x30cm/4pcs
G.W/N.W	13/12kgs
QTY 20'/40'/40'H	1620/3360/3940pcs

Certicates (All model)

Mod.XBW-G02



Optional plastic and metal mount bracket.



Emboss Logo

OPTIONA


- Track Lock
- Slow Return
- Optional Position Lock

SPECIFICATION

Hose Length(outlet)+(inlet)	15m+1.5m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	45x21x36cm
Carton Size	45x21x36cm/1pc
G.W/N.W	6.5/6kgs
QTY 20'/40'/40'H	850/1800/2100pcs

Certicates (All model)

Mod.XBW-G03



Adjustable stop ball



Brush design to prevent dirt

OPTIONA




SPECIFICATION

Hose Length(outlet)+(inlet)	20m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	45x21x36cm
Carton Size	45x21x36.5cm/1pc
G.W/N.W	7.5/7kgs
QTY 20'/40'/40'H	850/1800/2100pcs

Certicates (All model)

Mod.XBW-G04



Optional plastic and metal mount bracket.



Emboss Logo

OPTIONA

- Track Lock
- Slow Return
- Optional Position Lock

SPECIFICATION

Hose Length(outlet)+(inlet)	30m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	49x26x40.5cm
Carton Size	49x26x40.5cm/1pc
G.W/N.W	12.5/11.5kgs
QTY 20'/40'/40'H	540/1120/1310pcs

Certicates (All model)

JET
SOAKER
MIST
FLAT
CENTER
RINSE
SHOWER
CONE
ANGLE



S1304

JET
MIST
FULL
CONE
CENTER
FLAT
SHOWER



S1305

JET
SHOWER



S1306

JET
SHOWER



S1307



S1308



S1309



S1310




S1311



S1312



Mod.XBW-B01




SPECIFICATION

Hose Length(outlet)+(inlet)	10m+1m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	8x12mm(5/16")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	30.5x16.5x28.5cm
Carton Size	68x32x30cm/4pcs
G.W/N.W	14/13kgs
QTY 20'/40'/40'H	1720/3580/4180pcs

Certicates (All model)

Mod.XBW-B03



SPECIFICATION

Hose Length(outlet)+(inlet)	10m+1m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	35x21x36.5cm
Carton Size	44x36.5x63cm/4pcs
G.W/N.W	19/18kgs
QTY 20'/40'/40'H	1120/2320/2720pcs

Certicates (All model)

Mod.XBW-B02




Handle Bar



Pawl Lock
Three lock points in one mater

Mod.XBW-B04



180° degree swivel angle



Emboss Logo

OPTIONA



SPECIFICATION

Hose Length(outlet)+(inlet)	15m+1.5m/20m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	45x21x36.5cm
Carton Size	45x21x36.5cm/1pcs
G.W/N.W	7/6.5kgs
QTY 20'/40'/40'H	850/1800/2100pcs

Certicates (All model)

OPTIONA


- Track Lock
- Slow Return
- Optional Position Lock

SPECIFICATION


Hose Length(outlet)+(inlet)	30m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	47x26x42cm
Carton Size	47x26x42cm/1pc
G.W/N.W	9/8kgs
QTY 20'/40'/40'H	550/1140/1340pcs

Certicates (All model)

Mod.XBW-D01




Mod.XBW-D02



Mod.XBW-D03



Mod.XBW-D04



Portable



Pawl Lock
Three lock points in one meter



180° degree swivel angle



180° degree swivel angle



Handle Bar



Pawl Lock
Three lock points in one meter



180° degree swivel angle



Emboss Logo

SPECIFICATION

Hose Length(outlet)+(inlet)	9m+1m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	8x12mm(5/16")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	31.5x16.5x27cm
Carton Size	68.5x33x29cm/4pcs
G.W/N.W	13/12kgs
QTY 20'/40'/40'H	1720/3568/4184pcs

Certificates (All model)

SPECIFICATION

Hose Length(outlet)+(inlet)	15m+1.5m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	48x23x39cm
Carton Size	48x23x39cm/1pc
G.W/N.W	6.8/6kgs
QTY 20'/40'/40'H	724/1475/1584pcs

Certificates (All model)

SPECIFICATION

Hose Length(outlet)+(inlet)	20m+2m/25m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	52x24x42.5cm
Carton Size	52x24x42.5cm/1pc
G.W/N.W	9/8kgs
QTY 20'/40'/40'H	569/1159/1295pcs


Certificates (All model)

SPECIFICATION

Hose Length(outlet)+(inlet)	30m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	52x28x42.5cm
Carton Size	52x28x42.5cm/1pc
G.W/N.W	12/11kgs
QTY 20'/40'/40'H	436/916/1100pcs

Certificates (All model)


Mod.XBW-03




Mod.XBW-02



Mod.XBW-01



Mod.XBW-05



Replaceable hose



Mounting different nozzles



Quick connector



Automatic slow retraction automatically lock

SPECIFICATION

Hose Length(outlet)+(inlet)	10m+1m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	8x12mm(5/16")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	33x16x28.5cm
Carton Size	65x35x30cm/4pcs
G.W/N.W	14/13kgs
QTY 20'/40'/40'H	1664/3440/3924pcs

Certificates (All model)

SPECIFICATION

Hose Length(outlet)+(inlet)	15m+1.5m/20m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	45x21x35.5cm
Carton Size	45x21x35.5cm/1pc
G.W/N.W	6/5kgs
QTY 20'/40'/40'H	850/1800/2100pcs

Certificates (All model)

SPECIFICATION

Hose Length(outlet)+(inlet)	20m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	50x28x45cm
Carton Size	50x28x45cm/1pc
G.W/N.W	9.5/8.5kgs
QTY 20'/40'/40'H	460/920/1080pcs


Certificates (All model)

SPECIFICATION

Hose Length(outlet)+(inlet)	30m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	56x31x51.5cm
Carton Size	56x31x51.5cm/1pc
G.W/N.W	13/12.5kgs
QTY 20'/40'/40'H	315/652/700pcs

Certificates (All model)


Mod.XBW-E05



Mod.XBW-E01/02



Mod.XBW-E03



1 Non-slip Handle Bar




2 Automatic Guide



3 Detachable

Mod.XBW-E04



SPECIFICATION

Hose Length(outlet)+(inlet)	20m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	28x18x31.5cm
Carton Size	75x29.5x33cm/4pcs
G.W/N.W	16/15kgs
QTY 20'/40'/40'H	1540/3180/3728pcs

Certicates (All model)

SPECIFICATION

Hose Length(outlet)+(inlet)	20m+2m/40m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	40.5x37.5x41.5cm
Carton Size	40.5x37.5x41.5cm/1pc
G.W/N.W	6/5kgs
QTY 20'/40'/40'H	445/920/1080pcs

Certicates (All model)

SPECIFICATION

Hose Length(outlet)+(inlet)	45m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	56x36x44cm
Carton Size	56x36x44cm/1pc
G.W/N.W	8.5/7.5kgs
QTY 20'/40'/40'H	320/660/780pcs

Certicates (All model)

SPECIFICATION

Hose Length(outlet)+(inlet)	45m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	11x15mm(1/2")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	54x36x35cm
Carton Size	54x36x35cm/1pc
G.W/N.W	8.5/7.5kgs
QTY 20'/40'/40'H	412/852/1000pcs

Certicates (All model)

CONTENTS

Create a Perfect Work Space

AIR HOSE REEL

XBA-G



XBA-G01



XBA-G02



XBA-G03



XBA-G04

15-16

XBA-B



XBA-B01



XBA-B03



XBA-B02



XBA-B04

19-20

XBA-D



XBA-D01



XBA-D02



XBA-D03



XBA-D04

21-22

XBA-A



XBA-A03



XBA-A02



XBA-A01



XBA-A05

23-24

XBA-F



XBA-F01

25

XBE-B




XBE-B01

26



XIEBO®
AIR HOSE REEL

Mod.XBA-G01



Adjustable stop ball

Brush design to prevent dirt




SPECIFICATION

Hose Length(outlet)+(inlet)	10m+1m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	1/4"
Hose I.D.	8x12mm(5/16")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	32x16.5x28cm
Carton Size	68x33.5x30cm/4pcs
G.W/N.W	13.5/12.5kgs
QTY 20'/40'/40'H	1620/3360/3940pcs

Certicates (All model)

Mod.XBA-G02



Optional plastic and metal mount bracket.

Emboss Logo

HOSE MATERIAL

- PVC
- PU MESH
- PU
- RUBBER+PVC

Fitting


- 1/4" BSP/ (1/4" NPT)
- 3/8" BSP/ (3/8" NPT)

SPECIFICATION

Hose Length(outlet)+(inlet)	15m+1.5m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	45x21x36cm
Carton Size	45x21x36cm/1pc
G.W/N.W	7/6.5kgs
QTY 20'/40'/40'H	850/1800/2100pcs

Certicates (All model)

Mod.XBA-G03



Adjustable stop ball

Brush design to prevent dirt

HOSE MATERIAL

- PVC
- PU MESH
- PU
- RUBBER+PVC

Fitting


- 1/4" BSP/ (1/4" NPT)
- 3/8" BSP/ (3/8" NPT)

SPECIFICATION

Hose Length(outlet)+(inlet)	20m+2m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	45x21x36cm
Carton Size	45x21x36cm/1pc
G.W/N.W	7.5/7kgs
QTY 20'/40'/40'H	850/1800/2100pcs

Certicates (All model)

Mod.XBA-G04



Optional plastic and metal mount bracket.

Emboss Logo

OPTIONA

- Track Lock
- Slow Return
- Optional Position Lock

SPECIFICATION

Hose Length(outlet)+(inlet)	30m+2m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	49x26x40.5cm
Carton Size	49x26x40.5cm/1pc
G.W/N.W	12.5/11.5kgs
QTY 20'/40'/40'H	540/1120/1310pcs

Certicates (All model)



Q1373



Q1371



Q1372

Optional:
Quick Coupler



ITALY

EU


ITALY

AU/JAPAN

EU (COPPER)



Mod.XBA-B01



Handle Bar
Pawl Lock
Three lock points in one mater




SPECIFICATION

Hose Length(outlet)+(inlet)	10m+1m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	1/4"
Hose I.D.	8x12mm(5/16")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	30.5x16.5x28.5cm
Carton Size	68x32x30cm/4pcs
G.W/N.W	14/13kgs
QTY 20'/40'/40'H	1720/3580/4180pcs

Certicates (All model)

Mod.XBA-B03



180° degree swivel angle
Emboss Logo

HOSE MATERIAL

- PVC
- PU MESH
- PU
- RUBBER+PVC

Fitting

- 1/4" BSP/ (1/4" NPT)
- 3/8" BSP/ (3/8" NPT)

SPECIFICATION

Hose Length(outlet)+(inlet)	10m+1m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	35x21x30.5cm
Carton Size	44x36.5x63cm/4pcs
G.W/N.W	16.5/15.5kgs
QTY 20'/40'/40'H	1120/2320/2720pcs

Certicates (All model)

Mod.XBA-B02



Handle Bar
Pawl Lock
Three lock points in one mater

HOSE MATERIAL

- PVC
- PU MESH
- PU
- RUBBER+PVC

Fitting



- 1/4" BSP/ (1/4" NPT)
- 3/8" BSP/ (3/8" NPT)

SPECIFICATION

Hose Length(outlet)+(inlet)	15m+1.5m/20m+2m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	45x21x36.5cm
Carton Size	45x21x36.5cm/1pc
G.W/N.W	9.5/8.5kgs
QTY 20'/40'/40'H	850/1800/2100pcs

Certicates (All model)

Mod.XBA-B04



180° degree swivel angle
Emboss Logo

OPTIONA


- Track Lock
- Slow Return
- Optional Position Lock

SPECIFICATION

Hose Length(outlet)+(inlet)	30m+2m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	3/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	47x26x42cm
Carton Size	47x26x42cm/1pc
G.W/N.W	12.5/11.5kgs
QTY 20'/40'/40'H	550/1140/1340pcs

Certicates (All model)

Mod.XBA-D01



1 Portable



2 Track Lock
Three lock points in one mater

HOSE MATERIAL

- PVC
- PU MESH
- PU
- RUBBER+PVC

Fitting


- 1/4"BSP/ (1/4"NPT)
- 3/8"BSP/ (3/8"NPT)

SPECIFICATION

Hose Length(outlet)+(inlet)	9m+1m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	1/4"
Hose I.D.	8x12mm(5/16")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	31.5x16.5x27cm
Carton Size	68.5x33x29cm/4pcs
G.W/N.W	14/13kgs
QTY 20'/40'/40'H	1720/3568/4184pcs

Certicates (All model)

Mod.XBA-D02



3 180° degree swivel angle



4 180° degree swivel angle

HOSE MATERIAL

- PVC
- PU MESH
- PU
- RUBBER+PVC

Fitting

- 1/4"BSP/ (1/4"NPT)
- 3/8"BSP/ (3/8"NPT)

SPECIFICATION

Hose Length(outlet)+(inlet)	15m+1.5m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	48x23x39cm
Carton Size	48x23x39cm/1pc
G.W/N.W	7.5/6.5kgs
QTY 20'/40'/40'H	724/1475/1584pcs

Certicates (All model)

Mod.XBA-D03



5 Handle Bar



6 Track Lock
Three lock points in one mater

HOSE MATERIAL

- PVC
- PU MESH
- PU
- RUBBER+PVC

Fitting


- 1/4"BSP/ (1/4"NPT)
- 3/8"BSP/ (3/8"NPT)

SPECIFICATION

Hose Length(outlet)+(inlet)	20m+2m/25m+2m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	52x24x42.5cm
Carton Size	52x24x42.5cm/1pc
G.W/N.W	8.5/7.5kgs
QTY 20'/40'/40'H	535/1090/1308pcs

Certicates (All model)

Mod.XBA-D04



7 180° degree swivel angle



8 Emboss Logo

OPTIONA


- Track Lock
- Slow Return
- Optional Position Lock

SPECIFICATION

Hose Length(outlet)+(inlet)	30m+2m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	52x28x42.5cm
Carton Size	52x28x42.5cm/1pc
G.W/N.W	10.6/9.6kgs
QTY 20'/40'/40'H	440/900/1080pcs

Certicates (All model)

Mod.XBA-03



1 Pawl Lock
Three lock points in one mater



2 180° degree swivel angle

HOSE MATERIAL

- PVC
- PU MESH
- PU
- RUBBER+PVC

Fitting

- 1/4"BSP/ (1/4"NPT)
- 3/8"BSP/ (3/8"NPT)

SPECIFICATION

Hose Length(outlet)+(inlet)	10m+1m
Hose Material	PVC
W.B.Pressure	8/24bar
Fitting	1/4"
Hose I.D.	8x12mm(5/16")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	33x16x28.5cm
Carton Size	66x35x30cm/4pcs
G.W/N.W	16/15kgs
QTY 20'/40'/40'H	1664/3440/3924pcs

Certicates (All model)

Mod.XBA-02



3 Handle Bar



4 180° degree swivel angle

HOSE MATERIAL

- PVC
- PU MESH
- PU
- RUBBER+PVC

Fitting


- 1/4"BSP/ (1/4"NPT)
- 3/8"BSP/ (3/8"NPT)

SPECIFICATION

Hose Length(outlet)+(inlet)	15m+1.5m/20m+2m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	45x21x35.5cm
Carton Size	45x21x35.5cm/1pc
G.W/N.W	7.5/6.5kgs
QTY 20'/40'/40'H	850/1800/2100pcs

Certicates (All model)

Mod.XBA-01



1 Handle Bar



2 180° degree swivel angle

HOSE MATERIAL

- PVC
- PU MESH
- PU
- RUBBER+PVC

Fitting


- 1/4"BSP/ (1/4"NPT)
- 3/8"BSP/ (3/8"NPT)

SPECIFICATION

Hose Length(outlet)+(inlet)	20m+2m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	50x28x45cm
Carton Size	50x28x45cm/1pc
G.W/N.W	10/9kgs
QTY 20'/40'/40'H	460/920/1080pcs

Certicates (All model)

Mod.XBA-05



3 Automatic slow retraction
Automatically lock



4 Replaceable hose

OPTIONA


- Track Lock
- Slow Return
- Optional Position Lock

SPECIFICATION

Hose Length(outlet)+(inlet)	30m+2m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	56x31x51.5cm
Carton Size	56x31x51.5cm/1pc
G.W/N.W	15/14kgs
QTY 20'/40'/40'H	315/652/760pcs

Certicates (All model)

Mod.XBA-F01




SPECIFICATION

Hose Length(outlet)+ (inlet)	30m+2m
Hose Material	PVC
W.B.Pressure	18/54bar
Fitting	1/4"
Hose I.D.	9.5x15mm(3/8")
Case Material	PP
Temperature	-5 to 45 Degree
Color Box Size	34x27x35cm
Carton Size	34x27x35cm/1pc
G.W/N.W	9/8.5kgs
QTY 20'/40'/40'H	850/1800/2100pcs

Certificates (All model)

Mod.XBE-B01



OPTIONA



SPECIFICATION

Hose Length(outlet)+ (inlet)	20m+1.5m
Case material	PP
Cable Type	H05VV-F 3Gx1.5mm ²
Packing	Color box
Socket	AC250V/16A/50HZ
Color box size	30.5x16.5x28.5cm
Item Size	68x32x30cm/4pcs
G.W/N.W	25/24kgs
QTY 20'/40'/40'H	1720/3580/4180pcs

Certificates (All model)

